

General instructions for cleaning and care


























no.3 Rubber surfacing (conductive and smooth)

**cleaning system without treatment
end of construction**

object _____
address _____
room classification _____

date _____
customer _____
representative _____

work process: select one work stage from each number

cleaning method	* recommendations chemical products	dosage	* recommendations pad / brush / mop / cloth	recommendations machine / tool	comments
 dry vacuum cleaning			Dust roller nozzle Neverclog filter without ring Filter bag with ring	Twinvac / Duovac / Silento /	large areas: sweeping
 dusting damp mopping			Masslinn 2000/Floorwit white	Balit Varifix/ Balit/	
cleaning without maintenance care product (if coating follows)					
 wet mopping direct method	Ecofloor V Reshine V Antiwax forte	0.5 - 1% 3 - 5% 2 - 5%	Micro-Mop Top/ Microsol mop/	Socar / Drewell	
 scrubber drying direct method	Ecofloor V Reshine V Antiwax forte	0.5 - 1% 3 - 5% 2 - 5%	 Pad red/ S  Microsol fibre pad/ V  Pad blue/	Duomatic / Laser Mambo / Samba Sprinter / iMatic	
 wet scrubbing and wet vacuuming	Antiwax forte Antiwax	2 - 5% 2 - 5%	 Pad red/ S  Microsol fibre pad/ V  Pad blue/	Monomatic LS / Watertank Duovac /	heavily soiled  
cleaning with maintenance care (first protective treatment with same product as in maintenance cleaning)					
 wet mopping direct method	Redur	3%	S Flat mop/ Micro-Mop Top/	Socar / Drewell	
 scrubber drying direct method	Redur	3%	 Pad red/ S  Microsol fibre pad/	Duomatic / Laser Mambo / Samba Sprinter / iMatic	
 spray cleaning full spray	Polyspray	100%	 Pad red/ P  Pad yellow/	Monomatic DS / Spray unit	after polishing 

* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / P: polishing / S: structured / V: heavily soiled

important: When spray cleaning, you should change your pad often

General instructions for cleaning and care

no.3 Rubber surfacing (conductive and smooth)



maintenance cleaning

object _____

date _____


















address _____

customer _____

work process: select one work stage from each number

room classification _____

representative _____

↓	cleaning method	frequency	* recommendations chemical products	dosage	* recommendations pad / brush / mop / cloth	recommendations machine / tool	comments
1	 dusting damp mopping	<input type="checkbox"/>			S Masslinn 2000/Floorwit white Synthetic fur	Balit Varifix/ Balit/	
2	 chewing gum removal	<input type="checkbox"/>	Karpfrost Karpotek	100%			if needed 
cleaning without maintenance							
3	 wet mopping direct method	<input type="checkbox"/>	Ecofloor Reshine Alcosal	0.5 - 1% 1 - 2% 1 - 2%	S Mop Variwet Mop Microbrush/	Variwet / B. Varifix Wetbox system Socar / Drewell	
3	 scrubber drying direct method	<input type="checkbox"/>	Ecofloor Reshine Libero	0.5 - 1% 1 - 2% 0.5 - 3%	S  Pad red/  Microsol fibre pad/	Duomatic / Laser Mambo / Samba Sprinter / iMatic	
cleaning with maintenance							
3	 wet mopping direct method	<input type="checkbox"/>	Redur	1%	S Mop Variwet Mop Microbrush/	Variwet / B. Varifix Wetbox system Socar / Drewell	
3	 scrubber drying direct method	<input type="checkbox"/>	Redur	1%	S  Pad red/  Microsol fibre pad/	Duomatic / Laser Mambo / Samba Sprinter / iMatic	
3	 spray cleaning partial spray	<input type="checkbox"/>	Polyspray	100%	P  Pad red/  Pad yellow/	Monomatic DS / Spray unit	after polishing 

* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / P: polishing / S: structured / V: heavily soiled

important: When spray cleaning, you should change your pad often

General instructions for cleaning and care

no.3 Rubber surfacing (conductive and smooth)



interim cleaning

object _____

date _____













address _____

customer _____

room classification _____

representative _____

work process: select one work stage from each number

	cleaning method	frequency	* recommendations chemical products	dosage	* recommendations pad / brush / mop / cloth	recommendations machine / tool	comments
1	 dusting damp mopping	<input type="checkbox"/>			S Masslinn 2000/Floorwit white Synthetic fur	Balit Varifix/ Balit/	
1	 dry vacuum cleaning	<input type="checkbox"/>			V Dust roller nozzle	Monovac / Scuba	
2	 chewing gum removal	<input type="checkbox"/>	Karpfrost Karpotek	100%			if needed 
cleaning without maintenance							
3	 wet mopping indirect method	<input type="checkbox"/>	Reshine G Rewit 2000	3 - 5% 2 - 5%	Mop Microbrush/ Micro-Mop Top/	Wetbox system Socar / Drewell	 
3	 scrubber drying indirect method	<input type="checkbox"/>	Reshine G Rewit 2000	3 - 5% 2 - 5%	● Pad red/ S ● Microsol fibre pad/ V ● Pad blue/	Duomatic / Laser Mambo / Samba Sprinter / iMatic	 
cleaning with maintenance							
3	 spray cleaning full spray	<input type="checkbox"/>	Polyspray	100%	● Pad red/ P ● Pad yellow/	Monomatic DS / Spray unit	after polishing 

* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / P: polishing / S: structured / V: heavily soiled

important: When spray cleaning, you should change your pad often
For initial cleaning after interim cleaning, see "initial cleaning".

General instructions for cleaning and care

no.3 Rubber surfacing (conductive and smooth)



basic cleaning

object _____

date _____





























address _____

customer _____

work process: select one work stage from each number

room classification _____

representative _____

	cleaning method	frequency	* recommendations chemical products	dosage	* recommendations pad / brush / mop / cloth	recommendations machine / tool	comments
1	 dusting damp mopping	<input type="checkbox"/>			S Masslinn / Floorwit Synthetic fur	Balit Varifix/ Balit/	
1	 dry vacuum cleaning	<input type="checkbox"/>			V Dust roller nozzle	Monovac / Scuba	
2	 chewing gum removal	<input type="checkbox"/>	Karpfrost Karpotek	100%			if needed 
cleaning without maintenance							
3	 wet scrubbing and wet vacuuming	<input type="checkbox"/>	B Relino G Rewit 2000 C Antiwax forte	20 - 50% 10 - 20% 30 - 50%	B  Pad green/  Pad blue/ S  Microsol fibre pad/	Monomatic LS / Watertank Duovac /	  
3	 scrubber drying indirect method	<input type="checkbox"/>	B Relino G Rewit 2000 C Antiwax forte	20 - 50% 10 - 20% 30 - 50%	B  Pad green/  Pad blue/ S  Microsol fibre pad/	Duomatic / Laser Mambo / Samba Sprinter / iMatic	   
3	 spray cleaning full spray	<input type="checkbox"/>	Antiwax forte	30 - 50%	B  Pad green/ G  Pad blue/	Monomatic LS / Spray unit Monomatic LS /	
4	rinsing 	<input type="checkbox"/>	pure water		S  Pad blue/  Microsol fibre pad/	Monomatic LS / Duovac / Duomatic / Laser	 

* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / P: polishing / S: structured / V: heavily soiled

important: change pad often
For initial cleaning after interim cleaning, see "initial cleaning".

General instructions for cleaning and care



no.3 Rubber surfacing (conductive and smooth)

Information about the flooring



Wetrok AG cannot accept any liability for damages due to improper use.
For security information, see the safety data sheet at www.wetrok.ch.
Wear protection: gloves, safety goggles, work clothes
Follow the information and remarks on the label, product data sheet and material safety data sheet.
The product data sheet describes the product and gives information about its application, storage. See www.wetrok.ch
The recommended colours of pad and brushes consist to the actual wWetrok product range
Follow the special cleaning and care instructions of the floor manufacturer
The cleaning and care instructions are recommendations and suggestions and apply to floorings in object quality.



Rubber floor coverings are sensitive to strong alkalines such as soft soap and basic cleaners. Colour change: material damage!

Rubber floor coverings are sensitive to certain solvents such as ketone and ester.

Fat-soluble colorants such as shoe polish or asphalt can penetrate into rubber floor coverings: diffusion
Mould-release agents from production (silicone or paraffin-based) must be completely removed before basic treatment.
Paraffin-like antioxidants can migrate to the surface over time and form white clouds. These can be polished out.
The leakage resistance of antistatic floor coverings must be measured and recorded before and after basic cleaning.
It is recommended to check the leakage resistance approximately one week after maintenance cleaning.



Rubber floor coverings are a blend of synthetic and natural rubber, sulphur (vulcanising agent), fillers and colour pigments.

Distinguishing feature: fire assay with a glowing hot needle in an inconspicuous place: the needle penetrates only slightly, typical rubber smell, no crater formation.



Remove loose dirt before every cleaning, damp mop smooth floors and vacuum structured floors.
Cleaning agents and surface treatments may alter the appearance and properties of a floor's surface.
Test on an inconspicuous spot to find which product is suitable for your requirements.
Test beforehand on an inconspicuous spot to see if the cleaning agent or surface treatment damages the floor.
Dirt-trapping zones, incl. dirt-trapping mats (Wetrok Gardamat) in the entrance, at least 7m long, greatly reduce the amount of dirt tracked into the building.

If you have any questions, please don't hesitate to contact us.
For training courses, contact the Wetrok Academy, tel. +41 (0)43 255 51 43 or academy@wetrok.ch.