

General instructions for cleaning and care



















no. 25 Ceramic tiles, vitreous, fine stone material

**cleaning system without treatment
end of construction**

object _____
address _____
room classification _____

date _____
customer _____
representative _____

work process: select one work stage from each number

cleaning method	* recommendations chemical products	dosage	* recommendations pad / brush / mop / cloth	recommendations machine / tool	comments	
1  dry vacuum cleaning			Dust roller nozzle Neverclog filter without ring Filter bag with ring	Twinvac / Duovac / Silento /		
1  vacuum sweeping sweeping				Speedmatic Twister Turbo Sweep	large areas: <table border="1" data-bbox="1989 587 2067 655"><tr><td>2 m</td></tr></table>	2 m
2 m						
2  dusting damp mopping			Masslinn 2000/Floorwit white	Balit Varifix/ Balit/		
cleaning without maintenance						
3  wet mopping direct method	Ecofloor Ceratop V Antiwax forte	0.5 - 1% 2 - 5% 2 - 5%	Micro-Mop Top/ Microsol mop/	Socar / Drewell		
3  scrubber drying direct method	Ecofloor Ceratop V Antiwax forte	0.5 - 1% 2 - 5% 2 - 5%	 Microsol fibre pad/ S  Scrubbing brush PP/ V  Pad green/	Duomatic / Laser Mambo / Samba Sprinter / iMatic		
3  wet scrubbing and wet vacuuming	Reshine Antiwax forte	3 - 5% 2 - 5%	 Microsol fibre pad/ S  Scrubbing brush washbeton/ V  Pad green/	Monomatic LS / Watertank Duovac /	heavily soiled  	
4  stain removal	See cleaning instruction no 41				if needed	

* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / P: polishing / S: structured / V: heavily soiled

important: green and black pad on hard stone only

General instructions for cleaning and care

no. 25 Ceramic tiles, vitreous, fine stone material



maintenance cleaning

object _____

date _____












address _____

customer _____

work process: select one work stage from each number

room classification _____

representative _____

	cleaning method	frequency	* recommendations chemical products	dosage	* recommendations pad / brush / mop / cloth	recommendations machine / tool	comments
1	 dusting damp mopping	<input type="checkbox"/>			Masslinn 2000/Floorwit white Synthetic fur	Balit Varifix/ Balit/	
1	 dry vacuum cleaning	<input type="checkbox"/>			V S Dust roller nozzle Dust roller nozzle	Monovac / Scuba	
2	 chewing gum removal	<input type="checkbox"/>	Karpfrost Karpotek	100%			if needed 
cleaning without maintenance							
3	 wet mopping direct method	<input type="checkbox"/>	Ecofloor Ceratop Biosan	0.5 - 1% 0.5 - 1% 0.8 - 1.5%	Micro-Mop Top/ Mop Microbrush/ Mop Variwet	Wetbox system Socar / Drewell Variwet / B. Varifix	
3	 scrubber drying direct method	<input type="checkbox"/>	Ecofloor Ceratop Libero	0.5 - 1% 0.5 - 1% 0.5 - 3%	 Microsol fibre pad/ S  Scrubbing brush PP/ V  Pad blue/	Duomatic / Laser Mambo / Samba Sprinter / iMatic	
3	 foam cleaning	<input type="checkbox"/>	See cleaning instruction no 42				

* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / P: polishing / S: structured / V: heavily soiled

General instructions for cleaning and care

no. 25 Ceramic tiles, vitreous, fine stone material



interim cleaning

object _____

date _____


















address _____

customer _____

work process: select one work stage from each number

room classification _____

representative _____

	cleaning method	frequency	recommendations * chemical products	dosage	* recommendations pad / brush / mop / cloth	recommendations machine / tool	comments
1	 dusting damp mopping	<input type="checkbox"/>			Masslinn 2000/Floorwit white Synthetic fur	Balit Varifix/ Balit/	
1	 dry vacuum cleaning	<input type="checkbox"/>			V S Dust roller nozzle Dust roller nozzle	Monovac / Scuba	
2	 chewing gum removal	<input type="checkbox"/>	Karpfrost Karpotek	100%			if needed 
cleaning without maintenance							
3	 wet mopping indirect method	<input type="checkbox"/>	Reshine Antiwax forte Indumat	3 - 5% 2 - 5% 2 - 5%	Micro-Mop Top/ Mop Microbrush/ Flat mop/	Wetbox system Socar / Dwell	 
3	 scrubber drying indirect method	<input type="checkbox"/>	Reshine Antiwax forte Indumat	3 - 5% 2 - 5% 2 - 5%	 Microsol fibre pad/ S  Scrubbing brush PP/ V  Pad green/	Duomatic / Laser Mambo / Samba Sprinter / iMatic	green and black pad on hard stone only  
3	 foam cleaning	<input type="checkbox"/>	See cleaning instruction no 42				
4	 wet mopping direct method	<input type="checkbox"/>	Biosan	3%	Micro-Mop Top/ Mop Microbrush/ Mop Variwet	Socar / Dwell Wetbox system Variwet / B. Varifix	if needed, bad smell could be removed with  

* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / P: polishing / S: structured / V: heavily soiled

General instructions for cleaning and care

no. 25 Ceramic tiles, vitreous, fine stone material



basic cleaning

object _____

date _____
































address _____

customer _____

work process: select one work stage from each number

room classification _____

representative _____

	cleaning method	frequency	* recommendations chemical products	dosage	* recommendations pad / brush / mop / cloth	recommendations machine / tool	comments
1	 dusting  damp mopping	<input type="checkbox"/>			Masslinn 2000/Floorwit white Synthetic fur	Balit Varifix/ Balit/	
1	 dry vacuum cleaning	<input type="checkbox"/>			V S Dust roller nozzle Dust roller nozzle	Monovac / Scuba	
2	 chewing gum removal	<input type="checkbox"/>	Karpfrost Karpotek	100%			if needed 
cleaning without maintenance							
3	 wet scrubbing and wet vacuuming	<input type="checkbox"/>	Antiwax forte Remat forte	30 - 50% 10 - 20%	 Microsol fibre pad/ S  Scrubbing brush washbeton/ V  Pad black/	Monomatic I / Watertank Duovac /	 
3	 scrubber drying indirect method	<input type="checkbox"/>	Antiwax forte Remat	30 - 50% 10 - 20%	 Microsol fibre pad/ S  Scrubbing brush PP/ V  Pad black/	Duomatic / Laser Mambo / Samba Sprinter / iMatic	  
3	 foam cleaning	<input type="checkbox"/>	See cleaning instruction no 42				
4	rinsing   	<input type="checkbox"/>	pure water		 Microsol fibre pad/ S  Scrubbing brush washbeton/ S  Scrubbing brush PP/	Monomatic I / Duovac / Duomatic / Laser	 
5	 stain removal	<input type="checkbox"/>	See cleaning instruction no 41				if needed
7	 wet mopping direct method	<input type="checkbox"/>	Biosan	3%	Micro-Mop Top/ Mop Microbrush/ Flat mop/	Socar / Drewell Wetbox system Variwet / B. Varifix	if needed, bad smell could be removed with  

* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / P: polishing / S: structured / V: heavily soiled

important: green and black pad on hard stone only

General instructions for cleaning and care

no. 25 Ceramic tiles, vitreous, fine stone material



Information about the flooring



Wetrok AG cannot accept any liability for damages due to improper use.
For security information, see the safety data sheet at www.wetrok.ch.
Wear protection: gloves, safety goggles, work clothes
Follow the information and remarks on the label, product data sheet and material safety data sheet.
The product data sheet describes the product and gives information about its application, storage. See www.wetrok.ch
The recommended colours of pad and brushes consist to the actual wWetrok product range
Follow the special cleaning and care instructions of the floor manufacturer
The cleaning and care instructions are recommendations and suggestions and apply to floorings in object quality.



Most grouts are acid sensitive. Soak the joints well before using acidic cleaners.

Ceramic floor coverings are generally acid resistant.
Sensitive or resistant against acid means against amidosulphuric acid
Sintered ceramic tiles are relatively insensitive to abrasive pads and brushes.
Do not use wipe and care cleaners in wet rooms and hygiene rooms
Do not use maintenance products on sintered tiles.
Do not use wipe and care cleaners on sintered ceramic tiles.

Ceramic floor coverings are heterogeneous products made from clay and aggregates such as feldspar and fluorite.
The higher the firing temperature and the longer the time spent in the oven, the denser and more strongly sintered the ceramic will be.
Earthenware: high water absorption (approx. 1,000 °C), glazed earthenware: low water absorption (1,300 °C).
Slip resistance in commercial areas: classification R9 - R13 (low to very high) and V4 - V10, in bare foot areas A,B,C.



Remove loose dirt before every cleaning, damp mop smooth floors and vacuum structured floors.
Cleaning agents and surface treatments may alter the appearance and properties of a floor's surface.
Test on an inconspicuous spot to find which product is suitable for your requirements.
Test beforehand on an inconspicuous spot to see if the cleaning agent or surface treatment damages the floor.
Dirt-trapping zones, incl. dirt-trapping mats (Wetrok Gardamat) in the entrance, at least 7m long, greatly reduce the amount of dirt tracked into the building.

If you have any questions, please don't hesitate to contact us.
For training courses, contact the Wetrok Academy, tel. +41 (0)43 255 51 43 or academy@wetrok.ch.

Wetrok AG Steinackerstrasse 62, CH-8302 Kloten, Tel +41 (0)43 255 51 51, info@wetrok.ch, www.wetrok.ch, www.wetrok.com