



Monovac Comfort and Touch'n'Clean
Take a jump, baby!



Monovac Comfort and Touch'n'Clean: two dry vacuum cleaners in the wake of innovative technologies

With the new Monovac generation, there is a new wind of high technology blowing in the world of dry vacuum cleaners. The innovative «Defined Air Pressure» ensures that noise emissions remain low, even with the highest-possible vacuuming performance. The large size of the pre-filter (Class M) promotes the suction, as the air can flow through easily without any resistance. The sensitive handle on the Monovac Touch'n'Clean is ergonomic and comfortable: touch the handle to operate the machine – let go and it stops.





Touch-sensitive operation: automatic Touch'n'Clean handle

Vacuuming performance without idle operation: touching the automatic handle, and the Monovac Touch'n'Clean starts off. When the cleaning staff release the automatic handle, the motor shuts off automatically. Advantages: reduces power consumption and now vacuuming noise when stationary.



Large-surface pre-filter: clean exhaust guaranteed

The 3'200 cm² pre-filter (Class M) retains the dust and allows the air through unhindered. This protects the motor from dust, which guarantees a longer service life. The exhaust air is channelled upwards into the room and does not stir up dust on the floor.



Working in peace and quiet: less noise in silent mode

The Monovac dry vacuum cleaners have superb sound insulation. With the new power level, Eco Silent, the noise level can be reduced to a minimum. This ensures that the Monovac will not become a disturbance even in noise-sensitive areas.



«Defined Air Pressure»: air pressure adjusted for high performance

The «Defined Air Pressure» technology (DAP), based on physical studies, controls air flow and air pressure, ensuring the highest level of vacuuming performance and the best possible noise dampening. This is facilitated by the flow-optimised hose and the 35 mm tube diameter.

Large working radius: more reach

The Monovac dry vacuum cleaner runs on a long leash thanks to the 12 metre cable. The 2.5 m long hose additionally increases the working radius. This means: A greater area is vacuumed in a shorter amount of time.

Everything where you need it: accessories in the compartment

The complete set of all suction nozzles, stored in the closed compartment, is safely protected from dirt. During work, the suction nozzles can be mounted on the housing for even quicker access.

Sustainably clean: optional HEPA filters

If the vacuum is equipped with a HEPA filter, dust and bacteria can be even more finely filtered and foreign objects removed. Thus, the Monovac can also easily be used in hygiene-sensitive areas.



Nimble as a fox: aerodynamic compact design

A Monovac dry vacuum cleaner offers lots of power in a compact package. The oval aerodynamic shape means it will not run into anything. It can manoeuvre even in heavily furnished rooms.



Geared towards long life: sturdy construction and ergonomic design

Thanks to a thick-walled plastic housing, the Monovac dry vacuum cleaners are extremely rugged. The inner wall protects the filter sack from being sucked into the turbine. During work breaks and when storing, the suction tube is simply placed into the opening provided.



Always ready for operation: maintenance-friendly concept

On Monovac dry vacuum cleaners, an LED display indicates exactly when it becomes necessary to change the dust bag.

Cleaning the Monovac is a quick and easy procedure. The filter can easily be changed or cleaned. If the power cable is defective, it can be replaced without tools.

Monovac: Where dirt bites the dust

- «Defined Air Pressure» DAP: sophisticated airflow technology
- Large-surface pre-filter, 3200 cm²: perfect filtration and exceptional air flow
- Built for a long service life: robust, shatterproof, maintenance-friendly
- Four wheels and an oval design: won't tip over, easy to manoeuvre in any work situation
- Accessories can be mounted on the housing: quick suction nozzle change
- HEPA filter available as an optional accessory

Currently, the most powerful dry vacuum cleaner on the market, which fulfils the Eco-Design Directive 666/2013 (valid from Sept. 2017)



Monovac Touch'n'Clean: the ergonomic comfort version

With the Monovac Touch'n'Clean dry vacuum cleaner, you are using equipment that facilitates use and boosts energy efficiency. The tube on this Monovac version is equipped with the innovative Touch'n'Clean function. When the operator touches the sensitive Touch'n'Clean handle, the vacuum starts, and once let go, it stops automatically.

The advantages of Touch'n'Clean:

- Experience shows that vacuums are often left running, during brief work interruptions, for example, or when walking to the power outlet. With Touch'n'Clean, the power consumption is reduced by up to 30%, as the motor is only in operation when the equipment is actually in use.
- The automatic on and off function on the handle also promotes ergonomic working.
- Because the vacuum is only in operation during actual work, noise emissions are also reduced.

More ergonomics and less power consumption.



Models and Versions

Monovac

Model	Comfort 6	Touch'n'Clean 6	Comfort 11	Touch'n'Clean 11
Article Number	40710	40720	40740	40750

Basic Version

Nozzle with rolls 30	•	•	•	•
Basic Combination nozzle	•	•	•	•
Suction tube telescope M/D	•	•	•	•
Hose M/D compl.	•	•	•	•
Pre-filter Monovac/Durovac	•	•	•	•
Waste air filter Monovac	•	•	•	•
Micro-fleece bag Monovac/Durovac	•	•	•	•
Crevice nozzle M/D	•	•	•	•
Upholstery nozzle M/D	•	•	•	•
Connection for electric suction nozzle	•	•	•	•
LED fill level indicator	•	•	•	•
2. Power level: ECO mode	•	•	•	•

Optional Extras

Handle Touch'n'Clean		•		•
----------------------	--	---	--	---

Technical Data

Dust storage capacity	6 l	11 l
Weight	6.1 kg	6.5 kg
Total height	38 cm	48 cm
Total length		40 cm
Total width		32 cm
Vacuum		241 mbar
Airflow rate		45.7 l/s
Suction turbine output		900/450 W
Sound power level		69/65 dB(A)
Sound pressure level		56/52 dB(A)
Rated voltage		230 V
Frequency		50/60 Hz
Power cable length		12 m
Energy class		B

Nozzles

41600	Combination nozzle 30	1 pce.
41602	Basic Combination nozzle	1 pce.
41604	Nozzle with rolls 30	1 pce.
41605	Nozzle with rolls 36	1 pce.
41610	Picojet M elec. suction nozzle	1 pce.
41612	Turbo nozzle M/D	1 pce.
41616	Crevice nozzle M/D	1 pce.
41617	Upholstery nozzle M/D	1 pce.
41618	Brush nozzle M/D	1 pce.
41619	Radiator nozzle M/D	1 pce.
41620	Universal brush nozzle M/D	1 pce.
41625	Nozzle set 35	1 pce.
41630	Connector 35/37	1 pce.
41631	Connector 37/35	1 pce.
41633	Connector 35/32	1 pce.

Tubes and hoses

41636	Tube M/D 50 cm	1 pce.
41637	Suction tube telescope M/D	1 pce.
41640	Hose M/D compl.	1 pce.
41642	Antistatic tube M/D compl.	1 pce.

Filter bags

42613	Micro-fleece bag Monovac/Durovac 6 litres	10 pce.
42614	Paper bag Monovac/Durovac 6 litres	10 pce.
42633	Micro-fleece bag Monovac/Durovac 11 litres	10 pce.
42634	Paper bag Monovac/Durovac 11 litres	10 pce.

Filter

42083	Pre-filter Monovac/Durovac	1 pce.
42084	Pre-filter Monovac/Durovac washable	1 pce.
42086	HEPA filter Monovac	1 pce.
42087	Waste air filter Monovac	1 pce.

Accessories

42031	Scented platelets	10 pieces
-------	-------------------	-----------



See the new generation of Wetrok Monovac dry vacuum cleaners in action for yourself.



Watch film

www.wetrok.com

Wetrok AG Steinackerstrasse 62, CH-8302 Kloten, Tel. +41 43 255 51 51, Fax +41 43 255 53 79

Wetrok Austria GmbH Deutschstrasse 19, A-1230 Wien, Tel. 0800 20 48 68, Fax 0800 20 48 78

Wetrok GmbH Maybachstrasse 35, D-51381 Leverkusen, Tel. +49 2171 398-0, Fax +49 2171 398-100

Wetrok Polska S.A. ul. Łączyny 4, PL-02-820 Warszawa, Tel. +48 22 331 20 50, Fax +48 22 331 20 60

Wetrok AB Bergkällavägen 32, SE-192 79 Sollentuna, Tel. +46 8 444 34 00, Fax +46 8 444 34 01

