

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Minatol Ergomat 200

Revision date: 17.03.2016

Product code: 431

Page 1 of 8

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Minatol Ergomat 200

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

###### Use of the substance/mixture

Washing and cleaning products (including solvent based products)  
for professional use only

##### 1.3. Details of the supplier of the safety data sheet

Company name:	Wetrok AG	
	Headquarter	
Street:	Steinackerstr. 62	
Place:	CH-8302 Kloten	
Telephone:	+41 (0)43 255 51 51	
e-mail:	chemie@wetrok.ch	
Contact person:	Head Regulatory	Telephone: +41 (0)43 255 53 50
Internet:	www.wetrok.ch	
Responsible Department:	BU Chemicals / Regulatory	
	Mobile + 41 79 657 45 20	

##### 1.4. Emergency telephone number:

Im Notfall (CH): +41 44 251 51 51 (Tel. 145) (Toxikologisches Zentrum)

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

##### 2.2. Label elements

###### Regulation (EC) No. 1272/2008

###### Special labelling of certain mixtures

EUH210 Safety data sheet available on request.

###### Additional advice on labelling

No label required according to 1999/45/EC, annex V B, No. 9.

##### 2.3. Other hazards

No risks worthy of mention. Please observe the information on the safety data sheet at all times.

#### SECTION 3: Composition/information on ingredients

##### 3.2. Mixtures

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Minatol Ergomat 200

Revision date: 17.03.2016

Product code: 431

Page 2 of 8

#### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
68154-97-2	Alcohols, C10-12, ethoxylated propoxylated			1 - < 5 %
	Acute Tox. 4, Eye Irrit. 2; H302 H319			
69013-18-9	alcohols, C8-18, ethoxylated, propoxylated			1 - < 5 %
1303-96-4	disodium tetraborate decahydrate; borax decahydrate			1 - < 5 %
	215-540-4	005-011-01-1		
	Repr. 1B; H360FD			

Full text of H and EUH statements: see section 16.

#### Labelling for contents according to Regulation (EC) No 648/2004

5 % - &lt; 15 % non-ionic surfactants, &lt; 5 % amphoteric surfactants, perfumes (Hexyl cinnamal), preservation agents (Benzisothiazolinone, Methylisothiazolinone).

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information

In all cases of doubt, or when symptoms persist, seek medical advice.

##### After inhalation

Provide fresh air.

##### After contact with skin

Wash with plenty of water.

##### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

##### After ingestion

Rinse mouth immediately and drink plenty of water. Call a doctor if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

No known symptoms to date. In all cases of doubt, or when symptoms persist, seek medical advice.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. May produce an allergic reaction. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### 5.2. Special hazards arising from the substance or mixture

Non-flammable.

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Minatol Ergomat 200

Revision date: 17.03.2016

Product code: 431

Page 3 of 8

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### SECTION 6: Accidental release measures

##### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protection equipment.

##### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

##### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

##### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

#### SECTION 7: Handling and storage

##### 7.1. Precautions for safe handling

###### Advice on safe handling

Avoid contact with skin and eyes. Observe instructions for use. Use only in well-ventilated areas.

###### Advice on protection against fire and explosion

No special fire protection measures are necessary.

##### 7.2. Conditions for safe storage, including any incompatibilities

###### Requirements for storage rooms and vessels

Keep container tightly closed. Protect against direct sunlight. Store in a cool dry place. Recommended storage temperature: at room temperature

###### Advice on storage compatibility

Keep away from: Acid

###### Further information on storage conditions

Minimum storage temperature: 15°C

Maximum storage temperature: 25°C

##### 7.3. Specific end use(s)

Washing and cleaning products (including solvent based products)  
for professional use only

#### SECTION 8: Exposure controls/personal protection

##### 8.1. Control parameters

###### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
1303-96-4	Disodium tetraborate, decahydrate	-	5		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

##### 8.2. Exposure controls

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Minatol Ergomat 200**

Revision date: 17.03.2016

Product code: 431

Page 4 of 8


**Protective and hygiene measures**

Wash hands before breaks and after work. When using do not eat or drink.

**Eye/face protection**

Wear eye protection/face protection.

**Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Tested protective gloves must be worn DIN EN 374

Suitable material: NBR (Nitrile rubber)

Thickness of the glove material 0.2 mm

Breakthrough time (maximum wearing time) 480 min

**Skin protection**

Wear suitable protective clothing.

**Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

**SECTION 9: Physical and chemical properties**
**9.1. Information on basic physical and chemical properties**

Physical state:	liquid
Colour:	white
Odour:	characteristic

pH-Value:	9.0 - 10.0	<b>Test method</b>
-----------	------------	--------------------

**Changes in the physical state**

Melting point:	not determined
----------------	----------------

Initial boiling point and boiling range:	not determined
--	----------------

Flash point:	not determined
--------------	----------------

**Flammability**

Solid:	not applicable
--------	----------------

Gas:	not applicable
------	----------------

Lower explosion limits:	not determined
-------------------------	----------------

Upper explosion limits:	not determined
-------------------------	----------------

**Auto-ignition temperature**

Solid:	not applicable
--------	----------------

Gas:	not applicable
------	----------------

Decomposition temperature:	not determined
----------------------------	----------------

**Oxidizing properties**

Not oxidising.

Vapour pressure:	not determined
------------------	----------------

Density:	1.01 g/cm <sup>3</sup> ASTM D 7777
----------	------------------------------------

Bulk density:	not applicable
---------------	----------------

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Minatol Ergomat 200

Revision date: 17.03.2016

Product code: 431

Page 5 of 8

Water solubility: easily soluble

#### Solubility in other solvents

not determined

Partition coefficient: not determined

Viscosity / dynamic: not determined

Vapour density: not determined

Evaporation rate: not determined

#### 9.2. Other information

Solid content: not determined

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

#### 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

#### 10.3. Possibility of hazardous reactions

Exothermic reaction with: Acid

#### 10.4. Conditions to avoid

Conditions to avoid: frost. Protect from sunlight.

#### 10.5. Incompatible materials

No information available.

#### 10.6. Hazardous decomposition products

This article doesn't contain dangerous substances or preparations intended to be released under normal or reasonably foreseeable conditions of use.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

##### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
68154-97-2	Alcohols, C10-12, ethoxylated propoxylated				
	oral	ATE 500 mg/kg			

##### Irritation and corrosivity

Based on available data, the classification criteria are not met.

##### Sensitising effects

Based on available data, the classification criteria are not met.

##### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

##### STOT-single exposure

Based on available data, the classification criteria are not met.

##### STOT-repeated exposure

Based on available data, the classification criteria are not met.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Minatol Ergomat 200

Revision date: 17.03.2016

Product code: 431

Page 6 of 8

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Additional information on tests

Classification according to Regulation (EC) No 1272/2008 [CLP] Calculation method. The product has not been tested.

## SECTION 12: Ecological information

### 12.1. Toxicity

The product is not: Ecotoxic.

### 12.2. Persistence and degradability

The surfactant contained in this mixture complies with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
69013-18-9	alcohols, C8-18, ethoxylated, propoxylated			
	OECD 301F	69%	28	

### 12.3. Bioaccumulative potential

The product has not been tested.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
1303-96-4	disodium tetraborate decahydrate; borax decahydrate	-1,53

### 12.4. Mobility in soil

If product enters soil, it will be mobile and may contaminate groundwater.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Other adverse effects

No information available.

#### Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

Classification according to Regulation (EC) No 1272/2008 [CLP] Calculation method. The product has not been tested.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

#### Waste disposal number of waste from residues/unused products

200129 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents containing hazardous substances; hazardous waste

#### Waste disposal number of contaminated packaging

200129 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents containing hazardous substances; hazardous waste

#### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Minatol Ergomat 200

Revision date: 17.03.2016

Product code: 431

Page 7 of 8

substance itself.

#### SECTION 14: Transport information

##### Land transport (ADR/RID)

- 14.1. UN number:** No dangerous good in sense of this transport regulation.  
**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.  
**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.  
**14.4. Packing group:** No dangerous good in sense of this transport regulation.

##### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

##### 14.6. Special precautions for user

No information available.

##### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

#### SECTION 15: Regulatory information

##### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

###### EU regulatory information

Authorisations (REACH, annex XIV):

Substances of very high concern, SVHC (REACH, article 59):  
disodium tetraborate decahydrate; borax decahydrate

Restrictions on use (REACH, annex XVII):

Entry 30: disodium tetraborate decahydrate; borax decahydrate

2010/75/EU (VOC): 0.085 % (0.859 g/l)

2004/42/EC (VOC): 0.085 % (0.859 g/l)

###### National regulatory information

Water contaminating class (D): 3 - highly water contaminating

##### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### SECTION 16: Other information

##### Changes

This data sheet contains changes from the previous version in section(s): 2,3,4,6,7,8,9,10,11,12,13,15.

##### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

##### Relevant H and EUH statements (number and full text)

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Minatol Ergomat 200**

Revision date: 17.03.2016

Product code: 431

Page 8 of 8

H360FD May damage fertility. May damage the unborn child.  
EUH210 Safety data sheet available on request.

**Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*