



according to Regulation (EC) No 1907/2006

Wetrok Antiwax forte

Print date: 30.12.2015 Product code: 65 Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Wetrok Antiwax forte

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Washing and cleaning products (including solvent based products)

Restricted to professional users.

1.3. Details of the supplier of the safety data sheet

Company name: Wetrok AG

Headquarter

Street: Steinackerstr. 62

Place: CH-8302 Kloten, Switzerland

Telephone: +41 (0)43 255 51 51 e-mail: chemie@wetrok.ch

Contact person: Head Regulatory Telephone: +41 (0)43 255 53 50

Internet: www.wetrok.ch

Responsible Department: BU Chemicals / Regulatory

Mobile + 41 (0)79 657 45 20

1.4. Emergency telephone Im Notfall: +41 44 251 51 51 (Tel. 145) (Toxikologisches Zentrum)

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Directive 67/548/EEC or 1999/45/EC

R phrases:

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories:

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P501 Return residual product in original packaging to selling point or bring to a certified waste

collection point.

Special labelling of certain mixtures

EUH208 Contains (R)-p-mentha-1,8-diene, d-limonene. May produce an allergic reaction.

Additional advice on labelling

No marking required according to 1999/45/EC, appendix V B, No. 9.

2.3. Other hazards

No risks worthy of mention. Please observe the information on the safety data sheet at all times.

SECTION 3: Composition/information on ingredients



according to Regulation (EC) No 1907/2006

Wetrok Antiwax forte

Print date: 30.12.2015 Product code: 65 Page 2 of 9

3.2. Mixtures

Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
REACH No		
252-104-2	2-(Methoxymethylethoxy)-propanol	5 - < 10 %
34590-94-8		
01-2119450011-60		
	Fettalkoholalkoxylat	1 - < 5 %
34398-01-1		
	Acute Tox. 4, Eye Irrit. 2; H302 H319	
225-878-4	3-butoxypropan-2-ol, propylene glycol monobutyl ether	1 - < 5 %
5131-66-8	Xi - Irritant R36/38	
603-052-00-8	Eye Irrit. 2, Skin Irrit. 2; H319 H315	
203-539-1	1-methoxy-2-propanol; monopropylene glycol methyl ether	1 - < 5 %
107-98-2	R10-67	
603-064-00-3	Flam. Liq. 3, STOT SE 3; H226 H336	
263-049-9	Potassiumcocoate	1 - < 5 %
61789-30-8	Xi - Irritant R36/38	
	Skin Irrit. 2, Eye Irrit. 2A; H315 H319	
227-813-5	(R)-p-mentha-1,8-diene, d-limonene	0.1 - < 1 %
5989-27-5	Xi - Irritant, N - Dangerous for the environment R10-38-43-50-53	
601-029-00-7	Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1, Aquatic Acute 1 (M-Factor = 1), Aquatic Chronic 1; H226 H315 H317 H400 H410	

Full text of R, H and EUH phrases: see section 16.

Labelling for contents according to Regulation (EC) No 648/2004

< 5 % non-ionic surfactants, < 5 % soap, perfumes (Limonene).

Further Information

none

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice.

After inhalation

Provide fresh air. In case of breathing difficulties administer oxygen. Medical treatment necessary.

After contact with skin

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Call a physician immediately.

After ingestion

Rinse mouth immediately and drink plenty of water. If accidentally swallowed rinse the mouth with



Wetrok AG

according to Regulation (EC) No 1907/2006

Wetrok Antiwax forte

Print date: 30.12.2015 Product code: 65 Page 3 of 9

plenty of water (only if the person is conscious) and obtain immediate medical attention.

4.2. Most important symptoms and effects, both acute and delayed

No known symptoms to date. In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. May produce an allergic reaction. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment. Wear suitable protective clothing, gloves and eye/face protection.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes. When using do not eat, drink, smoke, sniff. Observe instructions for use. Use only in well-ventilated areas.

Advice on protection against fire and explosion

The product is not: Combustible.

The product is not: Explosive.

Further information on handling

No special handling instructions are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Protect against direct sunlight. Store in a cool dry place. Recommended storage temperature: at room temperature

Advice on storage compatibility

No special measures are necessary.





according to Regulation (EC) No 1907/2006

Wetrok Antiwax forte

Print date: 30.12.2015 Product code: 65 Page 4 of 9

Further information on storage conditions

Minimum storage temperature: 15°C Maximum storage temperature: 25°C

7.3. Specific end use(s)

Notice the directions for use on the label.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
34590-94-8	(2-methoxymethylethoxy) propanol	50	308		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL
107-98-2	1-Methoxypropan-2-ol	100	375		TWA (8 h)	WEL
		150	560		STEL (15 min)	WEL

Additional advice on limit values

Exposure limit values: No data available

8.2. Exposure controls



Protective and hygiene measures

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink. When using do not eat, drink, smoke, sniff.

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Tested protective gloves are to be worn: DIN EN 374

Skin protection

Only wear fitting, comfortable and clean protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Respiratory protection necessary at: insufficient ventilation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: clear
Odour: characteristic

Test method

pH-Value: 8.0 - 9.0



according to Regulation (EC) No 1907/2006

Wetrok Antiwax forte

Print date: 30.12.2015 Product code: 65 Page 5 of 9

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

No data available
Flash point:

No data available

Flammability

Solid: not applicable
Gas: not applicable
Lower explosion limits: not determined
Upper explosion limits: not determined

Auto-ignition temperature

Solid: not applicable
Gas: not applicable
Decomposition temperature: not determined

Oxidizing properties

Not oxidizing.

Vapour pressure: not determined

Density: 1.0053 - 1.0153 g/cm³ ASTM D 7777

Water solubility: completely miscible

Solubility in other solvents

not determined

Partition coefficient: not determined Vapour density: not determined Evaporation rate: not determined

9.2. Other information

Solid content: not determined

none

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

Protect from sunlight. Store in a well-ventilated place.

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

Conditions to avoid: frost. Protect from sunlight.

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

This article doesn't contain dangerous substances or preparations intended to be released under normal or reasonably foreseeable conditions of use.

SECTION 11: Toxicological information

11.1. Information on toxicological effects



according to Regulation (EC) No 1907/2006

Wetrok Antiwax forte

Print date: 30.12.2015 Product code: 65 Page 6 of 9

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Exposure routes	Method	Dose	Species	Source	
34398-01-1	Fettalkoholalkoxylat					
	oral	ATE	500 mg/kg			
107-98-2	1-methoxy-2-propanol; monopropylene glycol methyl ether					
	oral	LD50	> 5000 mg/kg	Rat	IUCLID	
	dermal	LD50	11000 mg/kg	Rabbit		
5989-27-5	(R)-p-mentha-1,8-diene, d-limonene					
	oral	LD50	> 2000 mg/kg	Rat		
	dermal	LD50	> 2000 mg/kg	Rabbit	IUCLID	

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

Severe effects after repeated or prolonged exposure

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

Classification according to Regulation (EC) No. 1272/2008 [CLP] The product has not been tested.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

CAS No	Chemical name					
	Aquatic toxicity	Method	Dose	[h] [d]	Species	Source
107-98-2	1-methoxy-2-propanol; monopropylene glycol methyl ether					
	Acute fish toxicity	LC50 mg/l	4600 - 10000	96 h	Leuciscus idus	IUCLID
	Acute algae toxicity	ErC50	> 1000 mg/l	72 h	Selenastrum capricornutum	
	Acute crustacea toxicity	EC50	> 500 mg/l	48 h	Daphnia magna	IUCLID
5989-27-5	5 (R)-p-mentha-1,8-diene, d-limonene					
	Acute fish toxicity	LC50	0,7 mg/l	96 h	Pimephales promelas	
	Acute crustacea toxicity	EC50	0,42 mg/l	48 h	Daphnia magna	

12.2. Persistence and degradability

The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

12.3. Bioaccumulative potential

The product has not been tested.



according to Regulation (EC) No 1907/2006

Wetrok Antiwax forte

Print date: 30.12.2015 Product code: 65 Page 7 of 9

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
107-98-2	1-methoxy-2-propanol; monopropylene glycol methyl ether	-0,437
5989-27-5	(R)-p-mentha-1,8-diene, d-limonene	4,23

12.4. Mobility in soil

If product enters soil, it will be mobile and may contaminate groundwater.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Classification according to Regulation (EC) No. 1272/2008 [CLP] The product has not been tested.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Waste disposal number of waste from residues/unused products

200129

MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents containing hazardous substances Classified as hazardous waste.

Waste disposal number of used product

200129

MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents containing hazardous substances Classified as hazardous waste.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: No dangerous good in sense of these transport regulations.

Marine transport (IMDG)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no.





according to Regulation (EC) No 1907/2006

Wetrok Antiwax forte

Print date: 30.12.2015 Product code: 65 Page 8 of 9

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2010/75/EU (VOC): 3.999 % (40.202 g/l) 2004/42/EC (VOC): 3.999 % (40.202 g/l)

Additional information

To follow: Regulation (EC) No. 648/2004 (Detergents regulation), 850/2004/EC, 1107/2009/EC,

649/2012/EC.

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC).

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s):

1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration. 50%

LD50: Lethal dose, 50%

Relevant R phrases (number and full text)

Flammable.

36/38 Irritating to eyes and skin.

38 Irritating to skin.

43 May cause sensitisation by skin contact.

Very toxic to aquatic organisms.

52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

May cause long-term adverse effects in the aquatic environment.

Vapours may cause drowsiness and dizziness.

Relevant H and EUH statements (number and full text)

H226 Flammable liquid and vapour. H302 Harmful if swallowed.

H315 Causes skin irritation. H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.



according to Regulation (EC) No 1907/2006

Wetrok Antiwax forte					
Print date: 30.12.2015	Product code: 65	Page 9 of 9			
H336	May cause drowsiness or dizziness.				
H400	Very toxic to aquatic life.				
H410	Very toxic to aquatic life with long lasting effects.				
H412	Harmful to aquatic life with long lasting effects.				
EUH208	Contains (R)-p-mentha-1,8-diene, d-limonene. May produce an allergic reaction.				

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)