

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Wetrok Ketovapor Foam 3

Print date: 17.03.2016

Product code: 372

Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Wetrok Ketovapor Foam 3

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Washing and cleaning products (including solvent based products)
Restricted to professional users.

1.3. Details of the supplier of the safety data sheet

Company name:	Wetrok AG	
	Headquarter	
Street:	Steinackerstr. 62	
Place:	CH-8302 Kloten, Switzerland	
Telephone:	+41 (0)43 255 51 51	
e-mail:	chemie@wetrok.ch	
Contact person:	Head Regulatory	Telephone: +41 (0)43 255 53 50
Internet:	www.wetrok.ch	
Responsible Department:	BU Chemicals / Regulatory	
	Mobile + 41 (0)79 657 45 20	

1.4. Emergency telephone number:

Im Notfall: +41 44 251 51 51 (Tel. 145) (Toxikologisches Zentrum)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Directive 67/548/EEC or 1999/45/EC

Indications of danger: C - Corrosive
R phrases:
Causes burns.

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories:
Skin corrosion/irritation: Skin Corr. 1A
Serious eye damage/eye irritation: Eye Dam. 1
Hazard Statements:
Causes severe skin burns and eye damage.

2.2. Label elements

Hazard components for labelling

Sodium hydroxide; caustic soda
Fatty alcoholpolyglycoether, C12-18, EO
Alcohols, C12-14, ethoxylated, sulfates, sodium salts
N,N-Dimethyltetradecylamine-N-oxide

Signal word: Danger

Pictograms: GHS05



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Wetrok Ketovapor Foam 3

Print date: 17.03.2016

Product code: 372

Page 2 of 10

Hazard statements

H314 Causes severe skin burns and eye damage.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.

2.3. Other hazards

No risks worthy of mention. Please observe the information on the safety data sheet at all times.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
REACH No		
203-961-6	2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether	5 - < 10 %
112-34-5	Xi - Irritant R36	
603-096-00-8	Eye Irrit. 2; H319	
215-185-5	Sodium hydroxide; caustic soda	1 - < 5 %
1310-73-2	C - Corrosive R35	
011-002-00-6	Skin Corr. 1A; H314	
239-854-6	Sodium p-cumenesulphonate	1 - < 5 %
15763-76-5	Xi - Irritant R36	
	Eye Irrit. 2; H319	
01-2119489411-37		
	Fatty alcoholpolyglycoether, C12-18, EO	1 - < 5 %
68213-23-0	Xi - Irritant, N - Dangerous for the environment R41-50	
	Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 3; H318 H400 H412	
500-234-8	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	1 - < 5 %
68891-38-3	Xi - Irritant R38-41	
	Skin Irrit. 2, Eye Dam. 1; H315 H318	
01-2119488639-16		
222-059-3	N,N-Dimethyltetradecylamine-N-oxide	1 - < 5 %
3332-27-2	Xn - Harmful, Xi - Irritant, N - Dangerous for the environment R22-38-41-50	
	Skin Irrit. 2, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 2; H315 H318 H400 H411	

Full text of R, H and EUH phrases: see section 16.

Labelling for contents according to Regulation (EC) No 648/2004

< 5 % non-ionic surfactants, < 5 % anionic surfactants, < 5 % amphoteric surfactants.

SECTION 4: First aid measures

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Wetrok Ketovapor Foam 3

Print date: 17.03.2016

Product code: 372

Page 3 of 10

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. If medical advice is needed, have product container or label at hand.

After inhalation

Provide fresh air.

After contact with skin

After contact with skin, wash immediately with plenty of water. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk.

4.2. Most important symptoms and effects, both acute and delayed

No known symptoms to date. In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. May produce an allergic reaction. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Wetrok Ketovapor Foam 3

Print date: 17.03.2016

Product code: 372

Page 4 of 10

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Do not breathe gas/fumes/vapour/spray. Observe instructions for use. Use only in well-ventilated areas.

Advice on protection against fire and explosion

The product is not: Combustible.

The product is not: Explosive.

Further information on handling

No special handling instructions are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only.

Provide adequate ventilation as well as local exhaustion at critical locations. Protect against direct sunlight. Store in a cool dry place. Recommended storage temperature: at room temperature

Advice on storage compatibility

Keep away from: Acid

Further information on storage conditions

Minimum storage temperature: 15°C

Maximum storage temperature: 25°C

7.3. Specific end use(s)

Notice the directions for use on the label.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
112-34-5	2-(2-Butoxyethoxy)ethanol	10	67.5		TWA (8 h)	WEL
		15	101.2		STEL (15 min)	WEL
1310-73-2	Sodium hydroxide	-	-		TWA (8 h)	WEL
		-	2		STEL (15 min)	WEL

Additional advice on limit values

Exposure limit values: No data available

8.2. Exposure controls



Appropriate engineering controls

Do not breathe gas/fumes/vapour/spray.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Wetrok Ketovapor Foam 3

Print date: 17.03.2016

Product code: 372

Page 5 of 10

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Suitable material: NBR (Nitrile rubber)

Thickness of the glove material 0.4 mm

Breakthrough time (maximum wearing time) 480 min

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Tested protective gloves must be worn DIN EN 374

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	light yellow
Odour:	characteristic

pH-Value:	13.0 - 14.0	Test method
-----------	-------------	--------------------

Changes in the physical state

Melting point:	not determined
----------------	----------------

Initial boiling point and boiling range:	No data available
--	-------------------

Flash point:	No data available
--------------	-------------------

Flammability

Solid:	not applicable
--------	----------------

Gas:	not applicable
------	----------------

Lower explosion limits:	not determined
-------------------------	----------------

Upper explosion limits:	not determined
-------------------------	----------------

Ignition temperature:	not determined
-----------------------	----------------

Auto-ignition temperature

Solid:	not applicable
--------	----------------

Gas:	not applicable
------	----------------

Decomposition temperature:	not determined
----------------------------	----------------

Oxidizing properties

Not oxidizing.

Vapour pressure:	not determined
------------------	----------------

Density:	1.065 - 1.075 g/cm ³	ASTM D 7777
----------	---------------------------------	-------------

Bulk density:	not applicable
---------------	----------------

Water solubility:	easily soluble
-------------------	----------------

Solubility in other solvents

not determined

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Wetrok Ketovapor Foam 3

Print date: 17.03.2016

Product code: 372

Page 6 of 10

Partition coefficient:	not determined
Viscosity / dynamic:	not determined
Viscosity / kinematic:	not determined
Vapour density:	not determined
Evaporation rate:	not determined

9.2. Other information

Solid content:	not determined
----------------	----------------

SECTION 10: Stability and reactivity

10.1. Reactivity

Possibility of hazardous reactions. No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Acid, Peroxide, Oxidising agent. No data available

10.4. Conditions to avoid

Conditions to avoid: frost. Protect from sunlight.

10.5. Incompatible materials

Keep away from: Acid, Oxidising agent, Peroxide. May be corrosive to metals.

10.6. Hazardous decomposition products

This article doesn't contain dangerous substances or preparations intended to be released under normal or reasonably foreseeable conditions of use.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Method	Dose	Species	Source
112-34-5	2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether				
	oral	LD50	5660 mg/kg	Rat	
	dermal	LD50	4120 mg/kg	Rabbit	

Irritation and corrosivity

Causes severe skin burns and eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

Severe effects after repeated or prolonged exposure

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Wetrok Ketovapor Foam 3

Print date: 17.03.2016

Product code: 372

Page 7 of 10

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

Classification according to Regulation (EC) No. 1272/2008 [CLP] Calculation method. The product has not been tested.

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name					
	Aquatic toxicity	Method	Dose	[h] [d]	Species	Source
112-34-5	2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether					
	Acute algae toxicity	ErC50	> 100 mg/l		Scenedesmus sp.	
	Acute crustacea toxicity	EC50	> 100 mg/l	48 h	Daphnia magna	
1310-73-2	Sodium hydroxide; caustic soda					
	Acute fish toxicity	LC50	45,4 mg/l	96 h	Onchorhynchus mykiss	

12.2. Persistence and degradability

The product has not been tested. The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

12.3. Bioaccumulative potential

On the basis of existing data about the elimination/degradation and bioaccumulation potential longer term damage to the environment is unlikely.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
112-34-5	2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether	0,56 (25°C)

12.4. Mobility in soil

If product enters soil, it will be mobile and may contaminate groundwater.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

There are no data available on the mixture itself.

Further information

Avoid release to the environment.

Classification according to Regulation (EC) No. 1272/2008 [CLP] Calculation method. The product has not been tested.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Waste disposal number of waste from residues/unused products

200129 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents containing hazardous substances
Classified as hazardous waste.

Waste disposal number of contaminated packaging

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Wetrok Ketovapor Foam 3

Print date: 17.03.2016

Product code: 372

Page 8 of 10

200129 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents containing hazardous substances
Classified as hazardous waste.

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: UN1719
14.2. UN proper shipping name: CAUSTIC ALKALI LIQUID, N.O.S. (Sodium hydroxide; caustic soda)
14.3. Transport hazard class(es): 8
14.4. Packing group: III
 Hazard label: 8



Classification code: C5
 Special Provisions: 274
 Limited quantity: 5 L
 Transport category: 3
 Hazard No: 80
 Tunnel restriction code: E

Other applicable information (land transport)

E1

Marine transport (IMDG)

14.1. UN number: UN 1719
14.2. UN proper shipping name: CAUSTIC ALKALI LIQUID, N.O.S. (Sodium hydroxide; caustic soda)
14.3. Transport hazard class(es): 8
14.4. Packing group: III
 Hazard label: 8



Special Provisions: 223, 274
 Limited quantity: 5 L
 EmS: F-A, S-B

Other applicable information (marine transport)

E1

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

Warning: strongly corrosive.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Wetrok Ketovapor Foam 3

Print date: 17.03.2016

Product code: 372

Page 9 of 10

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2004/42/EC (VOC): 5 % (53.25 g/l)

Additional information

To follow: Regulation (EC) No. 648/2004 (Detergents regulation), 850/2004/EC, 1107/2009/EC, 649/2012/EC.

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s):
1,2,3,4,6,7,8,9,10,11,12,13,14,15.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%

Relevant R phrases (number and full text)

22	Harmful if swallowed.
34	Causes burns.
35	Causes severe burns.
36	Irritating to eyes.
38	Irritating to skin.
41	Risk of serious damage to eyes.
50	Very toxic to aquatic organisms.

Relevant H and EUH statements (number and full text)

H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Wetrok Ketovapor Foam 3

Print date: 17.03.2016

Product code: 372

Page 10 of 10

information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)